



TECHNICAL DETAILS: 3500 MULTI-POINT LOCK










TECHNICAL DETAILS: 3500 MULTI-POINT LOCK






TECHNICAL DETAILS: 3500 MULTI-POINT LOCK


SINGLE HEAD AND SILL KEEPER 2-1/2" 1" 1/4" Radius Typ 0.060"

For use when using both the 3500 and 3020 Locks together



HIGH PERFORMANCE HEAD AND SILL KEEPER 6-1/4" 1-1/2" Radius Typ 0.060"

FINISHES Head and Sill Strike Face Plate Finishes: Victorian Bronze Satin Stainless Steel Bright Brass Jamb Strike Plate Finishes: Victorian Bronze Satin Stainless Steel Bright Brass Black Satin Nickel



KEEPER HOLE FABRICATION Standard Keeper Single Keeper High Performance Keeper 11/16" DIA 11/16" DIA 11/16" DIA 7/8" Deep min. 7/8" Deep mir 7/8" Deep min. -1/8" DIA 1/8" DIA 1/8" DIA ¦13/16" 13/16" 13/16' 13/16" 13/16" 2" Deep min 2" Deep min 2" Deep min. - 1-5/8"→ Note: The keepers can be surface applied or mortised in, depending on the application.

The information contained in this document is the confidential and proprietary information and trade secrets of Endura Products, Inc. Any disclosure, use or dissemination of such information without the express written permission of Endura Products, Inc. is owns any and all intellectual property rights embodied in such information, including patent rights, copyrights, and trademark rights, and no license of any intellectual property right is intended, nor should any license be implied, as a result of the receipt of this document.

Rev. 01.25.17

ENDURA

8817 W. Market St., Colfax, NC 27235 **1.800.334.2006** www.enduraproducts.com